中國金龜子科名錄*

胡氏"中國昆蟲目錄補遺"**

黃　可　訓

(北京農業大學昆蟲學系)

金龜子科是鞘翅目中種類繁多，而且經濟重要性比較大的一科。這科昆蟲的食性，主要可分兩類：糞食性和植食性，糞食性的種類較少，植食性的大多是作物的害蟲，根據胡經甫(1936)所編的"中國昆蟲目錄"，中國金龜子科已經記載的有 886 種；毛應斗(1940)"中國金龜子科目錄補遺"中增加 40 種，共計 926 種，二氏均未將台灣種類列入。作者就現有的文獻資料，重加考查，截至 1945 年爲止，應當增加 336 種，6 亞種，22 變種，12 變型，分屬於 13 亞科，其中台灣種類佔大多數，胡氏目錄中有 8 種及 2 變型的分佈地域，加以補充。

昆蟲目錄的工作是重要的，但是不容易作得完全，所以難免還有遺漏和錯誤，希望專家們予以指正。本文承蒙陸近仁先生熱心協助和指正；又承陳世驤先生供給文獻，特此謹致謝忱。

Superfamily Scarabaeoidea

Family Scarabaeidae

Subfamily Troginae

Genus *Trox* Fab.

T. komareki Balthasar

Balthasar, Ent. Bl. 27:130, 1931.

烏蘇里.

T. mitis Balthasar

Balthasar, Ent. Nachr Bl. 7:81, 1933.

烏蘇里.

T. opacotuberculatus Motschulsky

Motschulsky Etud. Ent. 9:14, 1860.

Miwa, Ins. Mats. 4(4):171, 1930.

台灣.

T. scaber Linnaeus

Linnaeus, Syst. Nat. 12:573, 1776 (*Scarabaeus*).

Miwa, Ins. Mats. 4(4):171, 1930.

台灣.

T. ussuriensis Balthasar

Balthasar, Ent. Bl. 27:129, 1931.

烏蘇里.

T. vimmeri Balthasar

Balthasar, Ent. Bl. 27:130, 1931.

烏蘇里.

T. zoufali Balthasar

Balthasar, Ent. Bl. 27:131, 1931.

烏蘇里.

---

* 1951 年 12 月 21 日收到。

** 本文係與華北農業科學研究所合作工作的一部份。

Subfamily Coprinae

Genus *Scarabaeus* Linné

S. erichsoni Harold
Harold, Col. 2:94, 1867.
Miwa, Syst. Cat. For. Col. p. 312, 1931.
台灣.

Genus *Gymnopleurus* Ill.

G. ambiguus Janssens
Janssens, Bull. Mus. Hist. nat. Belg. 19(17):1, 1943.
台灣.
G. assamensis Waterhouse
Waterhouse, Ann. Mag. nat. Hist. 5(6):411, 1890.
Miwa, Ins. Mats. 4(4):165, 1930.
台灣.
G. granulatus Fabricius
Fabricius, Ent. Syst. 1:65, 1927 (*Scarabaeus*).
Miwa, Ins. Mats. 4(4):165, 1930.
台灣.

Genus *Sisyphus* Latreille

S. indicus Hope
Hope, Zool. Misc. p. 22, 1831.
Miwa, Ins. Mats. 4(4):165, 1930.
台灣.
S. longipes Olivier
Olivier, Ent. I, Scarab. p. 164, pl. 19, f. 177, 1789 (*Scarabaeus*).
Miwa, Ins. Mats. 4(4):165, 1930.
台灣.
S. thoracicus Sharp
Sharp Col. Hefte 13:39, 1875.
Miwa, Syst. Cat. For. Col. p. 277, 1931.
台灣.

Genus *Synapsis* Bates

S. yunnanus Arrow
Arrow, Ann. Mag. nat. Hist. 12(10):428, 1933.
雲南.

Genus *Heliocopris* Hope

H. midas Fabricius
Fabricius, Syst. Ent. 1:21, 1775 (*Copris*).
台灣.

Genus *Copris* Geoffroy

C. basipunctatus Balthasar
Balthasar, Ent. Bl. 38:115, 1942.
中國.
C. klapperichi Balthasar
Balthasar, Ent. Bl. 38:116, 1942.
中國.
C. sorex Balthasar
Balthasar, Ent. Bl. 38:117, 1942.
中國.
C. tripartitus Waterhouse
var. *formosanus* Gillett, Ann. Soc. Sci. Brux. 41:126, 1921.
台灣.

Genus *Paraphytus* Harold

P. dentifrons Lewis
Lewis, Ann. Mag. nat. Hist. 16(6):376 f. 3,4, 1895.
Miwa, Ins. Mats. 4(4):166 1930.
台灣.

Genus *Drepanocerus* Kirby

D. arrowi Balthasar
Balthasar, Acta Soc. Ent. Cech. 29:64, 1932.
中國.

Genus *Oniticellus* Serv.

O. sagittarius Fabricius
Fabricius, Syst. Ent. p. 24, 1871 (*Scarabaeus*).
Miwa, Syst. Cat. For. Col. p. 279, 1931.
台灣.

Genus *Caccobius* Thomson

C. chujoi Paulian
Paulian, Bull. Soc. Ent. Fr. 1942: 47, 1942.
台灣.
C. fukiensis Balthasar
Balthasar, Ent. Bl. 38:119, 1942.
中國.
C. scrofa Balthasar
Balthasar, Ent. Bl. 38:118, 1942.
中國.
C. tsunoellus Matsumura
Matsumura, Ins. Mats. 12(2):55, 1938.
台灣.

C. yamauchii Matsumura
Matsumura, Ins. Mats. 11(2):66, 1936.
台灣.

Genus *Chironitis* Lansb.

C. moeris Pall. (1781)
Boucomont, Ling. Sci. J. 7:763, 1929.
中國.

Genus *Liatongus* Reitter

L. imitator Balthasar
Balthasar, Acta Soc. Ent. Csl. 35:98, 1938.
四川.

Genus *Matashia* Matsumura

M. mushana Matsumura
Matsumura, Ins. Mats. 12(2): 62, 1938.
台灣.

Genus *Panelus* Lewis

P. parvulus Waterhouse
Waterhouse, Ent. Monthl. Mag. 10:175 1874 (*Temnoplectron*).
Miwa, Ins. Mats. 4(4):165, 1930.
台灣.

Genus *Onthophagus* Latreille

O. acuticollis Gillet
Gillet, Bull. Ann. Soc. Ent. Belg. 67:225, 1927.
台灣.
O. agilis Matsumura
Matsumura, Ins. Mats. 12(2):56, 1938.
台灣.
O. amplexus Sharp
Sharp, Col. Hefte 14:53, 1875.
Lansb., Notes Leyd. Mus. 5:41, 1883.
smeei Har., Col. Hefte 14:137, 1875.
smeei Marcus, Arch. f. Nat. A 83(10):64, 1917 (1919).
中國.
O. argyropygus Gillet
Gillet, Bull. Ann. Soc. Ent. Belg. 67:256, 1927.
台灣.
O. balthasari Vsetecka
Vsetecka, Acta Soc. Ent. Csl. 36:43, 1939.
中國.
O. chokakurinus Matsumura
Matsumura, Ins. Mats. 12(2):56 1938.
台灣.
O. egurianus Matsumura
Matsumura, Ins. Mats. 12(2):57, 1938.
台灣.
O. formosanus Gillet
Gillet, Ann. Soc. Sci. Brux. 44:67, 1924.
台灣.
O. gonoderus Fairmaire
Fairmaire, Ann. Ent. Belg. 22:17, 1888.
雲南.
O. hirsutulus Lansb.
Lansb., Not. Leyd. Mus. 5:67, 1883.
Matsumura, Ins. Mats. 12(2):54, 1938.
台灣.
O. konoi Matsumura
Matsumura, Ins. Mats. 12(2):58, 1938.
台灣.
O. kuatunensis Balthasar
Balthasar, Ent. Bl. 38:120, 1942.
中國.
O. kuraruanus Matsumura
Matsumura, Ins. Mats. 12(2):58 1933.
台灣.
O. lenzi Har.
subsp. *marginithorax* Vsetecka, Acta Soc. Ent. Csl. 36:44, 1939.
華南、華西.
O. lutosopictus Fairm.
Fairm., Bull. Soc. Ent. Fr. 1897:67 1897.
Matsumura, Ins. Mats. 12(2): 54, 1938.
台灣.
O. mendicus Gillet
Gillet, Ann. Soc. Ent. Brux. 44:67, 1924.
Miwa, Ins. Mats. 4(4): 169, 1930.
台灣.
O. midoranus Matsumura
Matsumura, Ins. Mats. 12(2):59, 1938.
台灣.
O. missor Balthasar
Balthasar, Acta Soc. Ent. Csl. 35:97, 1938.
雲南.
O. miyabei Matsumura
Matsumura, Ins. Mats. 12(1):4, 1937.
東北.

O. mushensis Matsumura
Matsumura, Ins. Mats. 12(2):59, 1938.
台灣.
O. nagasawai Matsumura
Matsumura, Ins. Mats. 12(2):60, 1938.
台灣.
O. nakatomii Matsumura
Matsumura, Ins. Mats. 12(1):4, 1937.
東北.
O. nachicornis Linnè
Boucomont, Ling. Sci. J. 10(4):452, 1931.
中國.
O. pseudojaponicus Balthasar
Balthasar, Ent. Bl. 37:91, 1941.
  ab. *yulingensis* Balthasar, Ent. Bl. 37:91, 1941.
  subsp. *fukiensis* Balthasar Ent. Bl. 37:91, 1941.
中國.
O. putealis Matsumura
Matsumura, Ins. Mats. 12(2):61 1938.
台灣.
O. sauteri Gillet
Gillet, Ann. Soc. Ent. Brux. 44:68, 1942.
Miwa, Ins. Mats. 4(4):169, 1930.
台灣.
O. shoyozanus Matsumura
Matsumura, Ins. Mats. 12(1):5, 1937.
東北.
O. sonani Miwa
Miwa, Ins. Mats. 4(4):171, 1930.
Matsumura, Ins. Mats. 12(2):55, 1938.
台灣.
O. sulleimensis Splichal
Splichal, Deut. Ent. Zeitschr. p. 567, 1910.
Boucomont, Ling. Sci. J. 7:778, 1929.
中國.
O. tatsienluensis Balthasar
Balthasar, Ent. Bl. 38:121, 1942.
中國.
O. turmalis Gillet
Gillet, Ann. Soc. Ent. Brux. 44:66, 1942.
Miwa, Ins. Mats. 4(4):169, 1930.
台灣.
O. umenoi Matsumura
Matsumura, Ins. Mats. 12(2):61, 1938.
台灣.
O. yanoi Matsumura
Matsumura, Ins. Mats. 12(2):62, 1938.
台灣.
O. yubarinus Matsumura
Matsumura, Ins. Mats. 11(4):168, 1937.
Matsumura, Ins. Mats. 12(2):55, 1938.
台灣.

Subfamily Aphodiinae

Genus *Aphodius* Illiger

Subgenus *Colobopterus* Mulsant

A. (*C.*) *indagator* Mannh.
  var. *propraetor* Balthasar, Ent. Nachr Bl. 6:2, 1932.
烏蘇里.

Subgenus *Cinacanthus* Schmidt

A. (*C.*) *gregarius* Har.
Har., Col. Hefte 10:112, 1871.
Boucomont, Ling. Sci. J. 7:776, 1929.
中國.

Subgenus *Loboparius* Schmidt

A. (*L.*) *globulus* Har.
  var. *bisectus* Heydon, Horae Ross. 23:657. 1889.
甘肅.

Subgenus *Phaeaphodius* Reitter

A. (*P.*) *rectus* Motsch.
  ab. *rufoapicalis* Tesar, Sborn, Ent. Odd. nar. Mus. Prace 12:175, 1943.
  ab. *balthasari* Tesar Sborn. Ent. Odd. nar. Mus. Prace 12:175, 1943.
  ab. *proksi* Tesar, Sborn. Ent. Odd. nar. Mus. Prace 12:175, 1943.
  ab. *jurecekianus* Tesar, Sborn. Ent. Odd. nar. Mus. Prace 12:175, 1943.
烏蘇里.

Subgenus *Acrossus* Mulsant

A. (*A.*) *depressus* Kugel
Boucomont, Ling. Sci. J. 7:779, 1929.
中國.
A. (*A.*) *luridus* Fabricius
Boucomont, Ling. Sci. J. 7:779, 1929.
中國.

Subgenus *Volinus* Mulsant

A. (*V.*) *kukunorensis* Sem.
subsp. *petiolatus* Kozancikov, Rev. Russ. Ent. 12:522, 1912.
西藏.

Subgenus *Amidorus* Mulsant

A. (*A.*) *thermicola* Sturm
Boucomont, Ling. Sci. J. 7:782, 1929.
中國.

Subgenus *Aphodius* Mulsant

A. (*A.*) *fimetarius* L.
Boucomont, Ling. Sci. J. 7:783, 1929.
中國.

Subgenus *Agrilinus* Mulsant

A. (*A.*) *perblandus* Balthasar
Balthasar, Ent. Nachr Bl. 7:59 1933.
中國.

Subgenus *Bodilus* Mulsant

A. (*B.*) *aquilus* Schmidt
var. *bellus* Schmidt, Arch. Natg. A 87(1): 109, 1917.
雲南.
A. (*B.*) *immundus* Creutz.
Boucomont, Ling. Sci. J. 7:786, 1929.
中國.

Subgenus *Nialus* Mulsant

A. (*N.*) *kratzi* Har. (1868)
Boucomont, Ling. Sci. J. 7:786, 1929.
中國.

Subgenus *Coptochiroides* Har.

A. (*C.*) *guntherschmidti* Balthasar
Balthasar, Koleopt. Rdsch. 24:210, 1938.
東北.
A. (*C.*) *inflatus* Balthasar
Balthasar, Koleopt. Rdsch. 14:214, 1938.
中國.

Subgenus *Agoliinus* Schmidt

A. (*A.*) *lapponum* Gyl.
Boucomont, Ling. Sci. J. 7:784, 1929.
中國.

Subgenus *Melionpterus* Mulsant

A. (*M.*) *prodromus* Brahm.
Boucomont, Ling. Sci. J. 7:781, 1929.
中國.

Subgenus *Paulianellus* Balthasar

A. (*P.*) *maderi* Balthasar
Balthasar, Acta Soc. Ent. Csl. 35:7, 1938.
四川.
A. crenatus Harold
Harold, Berl. Ent. Zeitschr. 6:141, 1862.
Miwa, Ins. Mats. 4(4):174, 1930.
台灣.
A. kotoensis Miwa
Miwa, Ins. Mats. 4(4):174, 1930.
台灣.
A. lividipennis Waterhouse
Waterhouse, Trans. ent. Soc. Lond. 1875:81, 1875.
中國.
A. major Waterhouse
Waterhouse, Trans. ent. Soc. Lond. 1875:80, 1875.
中國.
A. marginellus Fabricius
var. *priseus* Motschulsky, Etud. Ent. 7:56, 1858.
Miwa, Ins. Mats. 4(4):173, 1930.
台灣.
A. moestus Fabricius
Fabricius, Syst. Eleuth. 1:78, 1801.
Miwa, Ins. Mats. 4(4):173, 1930.
台灣.
A. pallidicinctus Waterhouse
Waterhouse, Trans. ent. Soc. Lond. 1875:85, 1875.
Miwa, Syst. Cat. For. Col. p. 284, 1931.
台灣.
A. pallidiligonis Waterhouse
Waterhouse, Trans. ent. Soc. Lond. 1875:87 1875.
中國.
A. piceus Gyll.
Gyll., Ins. Suec. 1(1):21, 1808.
阿爾泰山.

A. pilosus Harold
Harold, Berl. Ent. Zeitschr. 18:183, 1874.
Miwa, Ins. Mats. 4(4):172, 1930.
台灣.
A. punctatus Waterhouse
Waterhouse, Trans. ent. Soc. Lond. 1875:87, 1875.
中國.
A. rugosostriatus Waterhouse
Waterhouse, Trans. ent. Soc. Lond. 1875:92, 1875.
Miwa, Ins. Mats. 4(4):172, 1930.
台灣.
A. russatus Erichson
Erichson, Doubl. Verz. Seneg. Ins. p. 7, 1842.
Miwa, Ins. Mats. 4(4):173, 1930.
台灣.
A. segmentaroides Schmidt
Schmidt, Soc. Ent. 24:11, 1909.
Miwa, Ins. Mats. 4(4):173, 1930.
台灣.
A. sinuatus Harold
Harold, Ann. Soc. Ent. Fr. 8(3):614, 1860.
Miwa, Ins. Mats. 4(4):173, 1930.
台灣.
A. sorex Fabricius
ab. beckeri Mader, Ent. Nachr Bl. 12:56, 1938.
四川.
A. uniformis Waterhouse
Waterhouse, Trans. ent. Soc. Lond. 1875:84, 1875.
中國.
A. uniplcgiatus Waterhouse
Waterhouse, Trans. ent. Soc. Lond. 1875:84, 1875.
中國.

Genus *Heptaulacus* Mulsant

H. tesari Paulian
Paulian, Bull. Soc. Ent. Fr. 1942:47, 1942.
中國.

Genus *Ataenius* Har.

A. cameratus Schmidt
Schmidt, Ent. Wochenbl. 25:47, 1908.
Miwa, Ins. Mats. 4(4):175, 1930 (*Oxyomus*).
台灣.

Genus *Saprosites* Redt.

S. formosensis Nomura
Nomura, Nippon no Kochu 3:36, 1939.
台灣.
S. japonicus Waterhouse
Waterhouse, Trans. ent. Soc. Lond. 1875:93, 1875.
Miwa, Ins. Mats. 4(4):175, 1930.
台灣.
S. narae Lewis
Lewis, Ann. Mag. nat. Hist. 16(6):382, 1895
Miwa, Ins. Mats. 4(4):175, 1930.
台灣.
S. yanoi Nomura
Nomura, Nippon no Kochu 3:36, 1939.
台灣.

Genus *Rhyssemus* Mulsant

R. inscitus Walker
Walker, Ann. Mag. nat. Hist. 2(3):207, 1858
Miwa, Ins. Mats. 4(4):175, 1930.
台灣.

Genus *Trichiorhyssemus* Clouet

T. hirsutus Clouet
Clouet, Mem. Soc. Ent. Belg. 8:28-35 1910.
Miwa, Ins. Mats. 4(4):175, 1930.
台灣.

Genus *Rhyparus* Westwood

R. helephoroides Fairmaire
Fairmaire, Not. Leyd. Mus. 15:145, 1893.
Miwa, Ins. Mats. 4(4):176, 1930.
台灣.
R. peninsularis Arrow
Arrow, Ann. Mag. nat. Hist. 15(7):537, 1905
Miwa, Ins. Mats. 4(4):176, 1930.
台灣.
R. philippinensis Arrow
Arrow, Ann. Mag. nat. Hist. 15(7):538, 1905.
Miwa, Ins. Mats. 4(4):176, 1930.
台灣.

Genus *Psammobius* Heer

P. convexus Waterhouse
Waterhouse, Trans. ent. Soc. Lond. 1875:94,

1875.
Miwa, Ins. Mats. 4(4):175, 1930.
台灣.
P. indicus Harold
Harold, Ann. Mus. Genova 10:100, 1877.
Miwa, Ins. Mats. 4(4):175, 1930.
台灣.

Genus *Pleurophorus* Mulsant

P. caesus Creutz.
Boucomont, Ling. Sci. J. 7:787, 1929.
中國.

Subfamily Ochodaeinae

Genus *Ochodaeus* Serville

O. maculatus Waterhouse
Waterhouse, Trans. ent. Soc Lond. 1875:95, 1875.
Miwa Ins. Mats. 4(4):163, 1930.
台灣.

Subfamily Geotrupinae

Genus *Bolbocerosoma* Schaeffer

B. nigroplagiatum Waterhouse
Waterhouse, Trans. ent. Soc. Lond. 1875:96 1875.
Miwa, Ins. Mats. 4(4):163, 1930.
台灣.

Genus *Bolboceras* Kirby

B. calanus Westwood
Westwood. Ann. Mag. nat. Hist. p. 354, 1848
Miwa, Ins. Mats. 4(4):163, 1930.
台灣.
B. chaoyanum Niijima & Kinoshita
Niijima & Kinoshita, Rep. First Scient. Exped. Manchoukuo (5) 1, pt. 11, art. 55, 1937.
熱河.
B. quadridens Kolbe
Kolbe, Stett. Ent. Zeit. 55:171, 1894.
Miwa, Ins. Mats. 4(4):163, 1930.
台灣.

Genus *Geotrupes* Latreille

Subgenus *Phelotrupes* Jekel

G. (P.) laevistriatus Motsch.
subsp. *formosanus* Miwa, Ins. Mats. 4(4): 164, 1930.
台灣.

Genus *Lethrus* Scopoli

Subgenus *Cerathodirus* Fischer

L. (C.) gladiator Reitter
Reitter, Dtsch. Ent. Zeit. p. 213, 1897.
阿爾泰山.

Subfamily Glaphyrinae

Genus *Toxocerus* Fairmaire

T. corinthia Fairmaire
Fairmaire, Comp. Rend. Soc. Ent. Belg. 35:9, 1891.
中國.
T. dolorosa Fairmaire
Fairmaire, Comp. Rend. Soc. Ent. Belg. 35:9, 1891.
中國.

Subfamily Melolonthinae

Genus *Serica* M'Leay

S. chinensis Moser
Moser, Stett. Ent. Zeit. 76:144, 1915.
中國.
S. euphorbiae Burmeister
Burmeister, Handb. Ent. 4:177, 1855.
Niijima & Kinoshita, Rep. First Scient. Exped. Manchoukuo (5) 1, pt. 11, 1937.
熱河.
S. formosana Moser
Moser, Dtsch. Ent. Zeit. p. 237, 1915.
Miwa, Syst. Cat. For. Col. p. 288, 1931.
台灣.
S. horishana Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 4:78, 1927.
台灣.
S. nakayamai Murayama
Murayama, Ann. Zool. Jap. p. 16, 1937.
Murayama, 滿洲生物學會會報, p. 19, 1941.
東北.
S. niitakana Sawada
Sawada, Nippon no Kochu 3:49 1939.
台灣.
S. polita (Gebler)
Gebler, Nouv. mém. Soc. Imp. Moscou 2;52,

1832 (*Omaloplia*).
Murayama, 長白山綜合調查報告, p. 161, 1941.
東北.

Genus *Maladera* Mulsant

M. castanea (Arrow)
Arrow, Ann. Mag. nat. Hist. p. 398, 1913.
Kano, Bull. Biogeogr. Soc. Jap. 4:113, 1933.
Kono, Ins. Mats. 9(4):163, 1935.
japonica Kobayashi, Trans. Kansai ent. Soc. 2:64, 1931 (*Autoserica*).
台灣.

Genus *Autoserica* Brenske

A. formosae Brenske
Brenske, Berl. Ent. Zeitschr. 43:210, 1898.
台灣.
A. invenusta Moser
Moser, Stett. Ent. Zeit. 79:212, 1918.
台灣.
A. saitoi Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 4:79, 1927.
台灣.
A. sauteri Moser
Moser, Stett. Ent. Zeit. 79:213, 1918.
台灣.

Genus *Sericania* Reitter

S. hasegawae Murayama
Murayama, Ann. Zool. Jap. 20(1):37, 1941.
東北.
S. latisulcata Murayama
Murayama, Ann. Zool. Jap. 20(1):36, 1941.
東北.

Genus *Neoserica* Brenske

N. macrophthalma Moser
Moser, Stett. Ent. Zeit. 79:219, 1918.
台灣.

Genus *Gastroserica* Brenske

G. bicolor Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:220, 1923.
台灣.

Genus *Pachyserica* Brenske

P. marmorata Blanchard
Blanchard, Cat. Col. Ent. 1:77, 1850 (*Omaloplia*).
Miwa, Syst. Cat. For. Col. p. 290, 1931.
台灣.

Genus *Anomalophylla* Reitter

A. barberi Sharp
Sharp. Ann. Mag. nat. Hist. 11(7):469, 1903 (*Melasserica*).
Miwa, Syst. Cat. For. Col. p. 290, 1931.
台灣.

Genus *Apogonia* Kirby

A. amida Lewis
Lewis. Ann. Mag. nat. Hist. 17(6):332, 1896.
Miwa, Syst. Cat. For. Col. p. 291, 1931.
台灣.
A. cupreoviridis Murayama
Murayama, 滿洲生物學會會報 4(2): 74-86, 1941.
金州, 蓋平, 錦縣, 開原, 公主嶺.
A. formosana Moser
Moser, Dtsch. Ent. Zeit. p. 429, 1913.
台灣.
A. rufobrunnea Moser
Miwa, Syst. Cat. For. Col. p. 291, 1931.
台灣.
A. sauteri Moser
Moser, Stett. Ent. Zeit. 79:232, 1918.
台灣.

Genus *Cyphochilus* Waterhouse

C. insulanus Moser
Moser, Stett. Ent. Zeit. 79:242, 1918.
var. *miwai* Nakabayasi, Trans. Kansai ent. Soc. 8:139, 1939.
台灣.

Genus *Lepidiota* Hope

L. cretacea Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:224, 1923.
台灣.

Genus *Holotrichia* Hope

H. horishana Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:222, 1923.
台灣.
H. koraiensis Murayama
Murayama, 滿洲生物學會會報 4(2):74-86, 1941.
玉泉. 哈爾濱.
H. pruinosa Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:221, 1923.
台灣.
H. reticulata Murayama
Murayama, Ann. Zool. Jap. 20(1):39, 1941.
東北.
H. sauteri Moser
Moser, Ann. Soc. Ent. Belg. 56:436, 1912.
台灣.
H. simillima Moser
Moser, Ann. Soc. Ent. Belg. 54:434, 1912.
中國.
H. titanis Reitter
Reitter, Verh. Ver. Brunn 40:177, 1903.
烏蘇里.

Genus *Microtrichia* Brenske

M. acutangularis Moser
Moser, Stett. Ent. Zeit. 79:243, 1918.
華南.
M. formosana Moser
Moser, Dtsch. Ent. Zeit. p. 273, 1913.
台灣.

Genus *Lasiopsis* Er.

L. balgensis Murayama
Murayama, Ann. Zool. Jap. 20(1):38, 1941.
東北.
L. formosanus Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 4:83, 1927.
台灣.
L. manchuricus Murayama
Murayama, Ann. Zool. Jap. 20(1):38, 1941.
東北.
L. sahlbergi Mannerheim
Mannerheim, Bull. Soc. Nat. Mosc. 22(1):239, 1849 (*Rhizotrogus*).
Miwa, Syst. Cat. For. Col. p. 292, 1931.
台灣.

Genus *Brahmina* Blanch.

B. amurensis Brenske
Brenske, Berl. Ent. Zeitschr. 37:95, 1892.
黑龍江.
B. intermedia Mannerheim
var. *grandipunctata* Murayama, 4(2):74-86 1941.
華北.
B. nasulata Arrow
Arrow, Ann. Mag. nat. Hist. 11(11):639, 1944.
西藏.
B. tibetana Arrow
Arrow, Ann. Mag. nat. Hist. 11(11):640, 1944.
西藏.
B. yabloniana Murayama
Murayama, 滿洲生物學會會報 4(2):74-86, 1941.
華北.

Genus *Rhizotrogus* Berthold.

R. bilobus Sharp
Sharp, J. A. S. B. 47:173, 1878.
新疆.

Genus *Miridiba* Reitter

M. koreana Niijima & Kinoshita
Murayama, 滿洲生物學會會報 4(2):74-86, 1941.
大連, 撫順, 公主嶺, 安東.

Genus *Polyphylla* Harris

P. formosana Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. Agr. Ex. Forest, Hokkaido Imp. Univ. 2:69-229, 1923.
Miwa, Syst. Cat. For. Col. p. 293, 1931.
台灣.
P. schestakowi Semenow
Semenow, Horae Soc. Ent. Ross. 34:310, 1900.
新疆.

Genus *Hoplosternus* Guér.

H. insulanus Moser
Moser, Stett. Ent. Zeit. 79:246, 1918.
台灣.

Genus *Melolontha* Fabricius

M. incana Murayama
Murayama, 滿洲生物學會會報 4(2):74-86, 1941.
大連, 普蘭店, 金州, 得利寺, 龍譚山, 熊岳城, 興城, 撫順, 北京.

M. insulana Moser
Moser, Stett. Ent. Zeit. 79:346, 1918.
Miwa, Syst. Cat. For. Col. p. 293, 1931.
var. *taihokuensis* Niijima & Kinoshita, Res. Bull. Col. Ex. Forest, Col. Agr. Hokkaido Imp. Univ. 2:65, 1923.
台灣.

Genus *Schoenherria* Burmeister

S. argus Burmeister
Burmeister, Handb. Ent. 4(2):419, 1855 (*Melolontha*).
Miwa, Syst. Cat. For. Col. p. 293, 1931.
台灣.

Genus *Dichelomorpha* Burmeister

D. delauneyi Fleutiaux
Fleutiaux, Ann. Soc. Ent. Fr. 8(6):32, 1887.
Miwa, Syst. Cat. For. Col. p. 287, 1931.
台灣.

Genus *Ectinohoplia* Redth.

E. arrowi Miwa
Miwa, Syst. Cat. For. Col. p. 237, 1931.
formosana Arrow, Proc. zool. Soc. Lond. 19:209, 1921.
台灣.

E. chrysura Reitter
Reitter, Verh. Nat. Ver. Brunn 61:108, 1903.
Miwa, Syst. Cat. For. Col. p. 287, 1931.
台灣.

E. formosana Moser
Moser, Stett. Ent. Zeit. 80:362, 1919.
台灣.

E. yunnana Moser
Moser, Stett. Ent. Zeit. 80:361, 1919.
雲南.

E. yoi Sawada
Sawada, Nippon no Kochu 3:41, 1939.
台灣.

Genus *Hoplia* Ill.

H. djukini Jacobsen
Jacobsen, Russe Ent. 14:2, 1914.
烏蘇里.

H. gracilipes Lewis
Lewis, Ann. Mag. nat. Hist. 16(6):389, 1895.
Miwa, Syst. Cat. For. Col. p. 288, 1931.
台灣.

H. reini Heyden
Heyden, Dtsch. Ent. Zeit. 23:339, 1879.
Miwa, Syst. Cat. For. Col. p. 288, 1931.
台灣.

Genus *Monotropus* Er.

M. suworzewi Semenow
Semenow, Horae Ent. Ross. 25:319, 1891.
阿爾泰山.

Genus *Gymnogaster* Blanchard

G. ezakii Niijima & Kinoshita
Niijima & Kinoshita, Res. Boll. Col exp. For Hokkaido Imp. Univ. 2:223, 1923.
台灣.
Miwa, Syst. Cat. For. Colt p. 288, 1931.

Genus *Heptophylla* Motschulsky

H. formosana Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:84, 1923.
台灣.

Genus *Granida* Motschulsky

G. albolineata Motschulsky
Motschulsky, Etud. Ent. 10:8, 1861.
Miwa, Syst. Cat. For. Col. p. 292, 1931.
台灣.

Genus *Dasylepida* Moser

D. fissa Moser
Moser, Dtsch. Ent. Zeit. p. 287, 1913.
中國.

Subfamily Euchirinae

Genus *Cheirotonus* Hope

C. macleayi formosanus Ohaus
Ohaus, Ent. Rundsch. 30:142, 1913.
Miwa, Syst. Cat. For. Col. p. 294, 1931.

台灣.

Subfamily Rutelinae

Genus *Parastasia* Westwood

P. canaliculata Westwood
Westwood, Ann. Mag. nat. Hist. 8:204, 1841.
Miwa, Syst. Cat. For. Col. p. 294, 1931.
台灣.
P. confluens Westwood
Westwood, Ann. Mag. nat. Hist. 8:303, 1814.
Miwa, Syst. Cat. For. Col. p. 294, 1931.
台灣.
P. formosana Ohaus
Ohaus, Arch. Natg. A 91(5):122, 1926.
台灣.

Genus *Anomala* Samouelle

Subgenus *Aprosterna* Hope

A. (A.) inconcinna Bates
Bates, Proc. Zool. Soc. Lond. 1866:343, 1866.
台灣.

Subgenus *Anomala* Sam.

A. (A.) auracoides Ohaus
Ohaus, Stett. Ent. Zeit. 76:327, 1915.
Miwa, Syst. Cat. For. Col. p. 295, 1931.
台灣.
A. (A.) badia Ohaus
Ohaus, Arch. Natg. 91:127, 1926.
台灣.
A. (A.) cypriogastra Ohaus
Ohaus, Stett. Ent. Zeit. 99:264, 1938.
台灣.
A. (A.) dimidiata Hope
Hope, Gray's Zool. Misc. p. 23, 1931 (*Euchlora*).
Miwa, Syst. Cat. For. Col. p. 297, 1931.
台灣.
A. (A.) ebenina Fairmaire
ab. *flava* Tesar, Ent. Nachr Bl. 12:170, 1939.
中國.
A. (A.) edentulata Ohaus
Ohaus, Arch. Natg. 91:128, 1926.
台灣.
A. (A.) erubescens Ohaus
Ohaus, Arch. Natg. 91:129, 1926.
台灣.
A. (A.) fasciolata Ohaus
Ohaus, Arch. Natg. 91:124, 1926.
台灣.
A. (A.) flavofasciata Arrow
Arrow, Ann. Mag. nat. Hist. 9(8):72, 1912.
Miwa, Syst. Cat. For. Col. p. 294, 1931.
台灣.
A. (A.) formosana Niijima & Kinoshita
Sawada, Nippon no Kochu 4:42, 1941.
台灣.
A. (A.) holosericioides Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 4:85, 1927.
台灣.
A. (A.) hoplocosmeta Ohaus
Ohaus, Arch. Natg. 91:125, 1926.
台灣.
A. (A.) ishidai Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 4:86, 1927.
台灣.
A. (A.) jonasi Ohaus
Ohaus, Ent. Zeit. 77:326, 1915.
var. *obscurior* Ohaus, Arch. Natg. A,4:4, 1922.
var. chlorochalcea Ohaus, Arch. Natg. 91:124, 1926.
台灣.
A. (A.) libidinosa Ohaus
Ohaus, Arch. Natg. A, 4:5, 1922.
台灣.
A. (A.) limbifera Ohaus
Ohaus, Ent. Zeit. 76:330, 1915.
台灣.
A. (A.) lucens Ballion (=*tokioensis* N. & K.)
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 4:77, 1927.
台灣.
A. (A.) luculenta Er.
ab. *cyaneoviolacea* Balthasar, Acta Soc. Ent. Cech. 26:99, 1930.
var. *caerulea* Ohaus, Dtsch. Ent. Zeit. p. 147, 1930.
var. *rufofemorata* Rttr., Verh. Nat. Ver. Brum. 41:74, 1903.
東北, 烏蘇里, 黑龍江.
A. (A.) luteonigra Tesar
Tesar, Ent. Nachr Bl. 12:171, 1939.
中國.
A. (A.) niijimae Ohaus

Ohaus, Arch. Natg. 91:126, 1926.
台灣.
A. (*A.*) *palleola* Gyllenhal
Gyllenhal, Schonh. Syn. Ins. I. 3, Append. p. 107, 1817 (*Melolontha*).
台灣.
A. (*A.*) *phacogastra* Ohaus
Ohaus, Arch. Natg. 91:129, 1926.
台灣.
A. (*A.*) *poecilochalcea* Ohaus
Ohaus, Ent. Zeit. 76:328, 1915.
台灣.
A. (*A.*) *polyanor* Ohaus
Ohaus, Arch. Natg. 82:4, 1916.
Miwa, Syst. Cat. For. Col. p. 295, 1931.
台灣.
A. (*A.*) *rotundiceps* Sharp
Sharp, Not. Leyd. Mus. 3:234, 1881.
Chapin, Ling. Sci. J. 17(2):249, 1938.
海南島.
A. (*A.*) *sagax* Ohaus
Ohaus, Arch, Natg. A 4:6, 1922.
台灣.
A. (*A.*) *sauteri* Ohaus
Ohaus, Ent. Zeit. 76:329, 1915.
台灣.
A. (*A.*) *siniopyga* Ohaus
Ohaus, Arch. Natg. A 4:8, 1922.
台灣.
A. (*A.*) *streptopyga* Ohaus
Ohaus, Ent. Zeit. 76:329, 1915.
var. *viridirufa* Ohaus, Arch. Natg. A 4:8, 1922.
var. *fuscoviolacea* Ohaus, Arch. Natg. A 4:8, 1922.
台灣.

Subgenus *Euchlora* M'Leay

A. (*E.*) *castaneoventris* Bates
Bates, Proc. zool. Soc. Lond. 1866:344, 1866.
Miwa, Syst. Cat. For. Col. p. 297, 1931.
台灣.
A. (*E.*) *cupripes* Hope
var. *coerulescens* Ohaus, Ent. Zeit. 76:331, 1915.
var. *rufina* Chujo, Nippon no Kochu 3:163, 1914.
台灣.
A. (*E.*) *expansa* Bates
Bates, Proc. zool. Soc. Lond. 1866:343, 1866.
Miwa, Syst. Cat. For. Col. p. 298, 1931.
台灣.
A. (*E.*) *trachypyga* Bates
Bates, Proc. zool. Soc. Lond. 1866:344, 1866.
Miwa, Syst. Cat. For. Col. p. 298, 1931.
台灣.
A. (*E.*) *xanthopleura* Arrow
Arrow, Ann. Mag. nat. Hist. 12(8): 402, 1913.
Miwa, Syst. Cat. For. Col. p. 297, 1931.
台灣.

Genus *Phyllopertha* Stephen

P. chalcoides Ohaus
Ohaus, Arch. Natg. A 91:131, 1926.
台灣.
P. formosana Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 4:36, 1927.
台灣.
P. okiwoensis Ohaus
Ohaus, Arch. Natg. A 91:130, 1926.
台灣.
P. takasagoensis Sawada
Sawada, Nippon no Kochu 4:51, 1941.
台灣.
P. tarowana Sawada
Sawada, Nippon no Kochu 4:51, 1941.
台灣.

Genus *Mimela* Kirby

Subgenus *Paramimela* Ohaus

M. (*P.*) *holosericea* Ohaus
var. *coerulea* Ohaus, Dtsch. Ent. Zeit. 1943:83, 1944.
黑龍江.

Subgenus *Mimela* Kirby

M. (*M.*) *antiqua* Ohaus
Ohaus, Stett. Ent. Zeit. 99:268, 1938.
四川.
M. (*M.*) *chryseis* Bates
Bates, Proc. zool. Soc. Lond. 1866:345, 1866.
台灣.
M. (*M.*) *foveolata* Ohaus
Ohaus, Dtsch. Ent. Zeit. p. 85, 1943.
中國.

M. (*M.*) *hauseri* Ohaus
Ohaus, Dtsch. Ent. Zeit. p. 85, 1943.
中國.
M. (*M.*) *ignicauda* Bates
Bates, Proc. zool. Soc. Lond. 1866:345, 1866.
台灣.
M. (*M.*) *sauteri* Ohaus
Ohaus, Stett. Ent. Zeit. 99:269, 1938.
台灣.
M. (*M.*) *sericicollis* Ohaus
Ohaus, Dtsch. Ent. Zeit. p. 86, 1943.
中國.
M. (*M.*) *splendens* Gyllenhal
subsp. *simplex* Bates, Proc. zool. Soc. Lond. 1866:345, 1866.
var. *cyanicollis* Ohaus, Stett. Ent. Zeit. 76:96, 1915.
var. *murasaki* Chujo, Nippon no Kochu 3:76, 1940.
台灣.
M. (*M.*) *yunnana* Ohaus
Ohaus, Dtsch. Ent. Zeit. p. 87, 1844.
雲南.

Genus *Popillia* Serv.

P. bogdanowi Ball.
Ball., Bull. Moscou 43:345, 1870.
黑龍江.
P. lotiynoma Ohaus
Ohaus, Stett. Ent. Zeit. 99:270, 1938.
雲南.
P. comma Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:228, 1923.
台灣.
P. cribricollis Ohaus
Ohaus, Stett. Ent. Zeit. 99:271, 1938.
雲南.
P. formosana Arrow
Arrow, Ann. Mag. nat. Hist. 12:45, 1913.
台灣.
P. 6-maculata Kraatz
Kraatz, Dtsch. Ent. Zeit. p. 261, 1892.
中國.
P. mutans Newman
var. *indigonacea* Motschulsky, Etud. Ent. p. 47, 1853.
Murayama, 長白山綜合調査報告 p. 163, 1941.
東北, 台灣.
P. sauteri Ohaus
Ohaus, Arch. Natg. A 4:2, 1922.
台灣.

Genus *Adoretus* Laporte

Subgenus *Chaetadoretus* Ohaus

A. (*C.*) *formosanus* Ohaus
Ohaus, Dtsch. Ent. Zeit. p. 503, f. 38, 1914.
Miwa, Syst. Cat. For. Col. p. 300, 1931.
台灣.

Subfamily Dynastinae

Genus *Eophileurus* Arrow

E. confinis Prell.
Prell., Mém. Soc. Ent. Belg. 22:114, 1913.
上海.

Genus *Heteronychus* Burmeister

H. curtulus Fairmaire
Fairmaire, Ann. Ent. Belg. 31:115, 1887.
雲南.
H. simplex Waterhouse
Waterhouse, Ann. Mag. nat. Hist. 13(5): 370, 1884.
中國.

Genus *Alissonotum* Arrow

A. crassum Arrow
Arrow, Tans. ent. Soc. Lond. 1908:323, 1908.
Miwa, Syst. Cat. For. Col. p. 301, 1931.
台灣.
A. impressicolle Arrow
Arrow, Trans. ent. Soc. Lond. 1908:323, 1908.
Miwa, Syst. Cat. For. Col. p. 301, 1931.
台灣.

Genus *Pentodon* Hope

P. bidentulus Fairmaire
Fairmaire, Rev. d'Ent. 6:319, 1887.
北京.
P. jeholensis Niijima & Kinoshita
Niijima & Kinoshita, Rep. First Scient. Exped. Manchokuo 1(5):21, pt. 11, art. 55, 1937
熱河.

P. pumilus Sharp
Sharp, Scient. Results Second Yarkand Miss. p. 53, 1891.
新疆, 西藏.
P. truncatus Sharp
Sharp, Scient. Results Second Yarkand Miss. p. 52, 1878.
新疆.

Genus *Allomyrina* Arrow

Tryposylus Minck, Arch. Natg. A 8, 84:216, 1920.
A. davidis Deyr.
Deyr. Ann. Soc. Ent. Fr. 8(5):106, t. 4, f, 3, 1878.
Prell., Ent. Blatter 30:58, 1934.
中國.
A. dicholomus L.
L., Mant. Plant 6:529, 1771.
Burmeister, Handb. Ent. 5:265, 1884.
Schonf., Ent. Nachr. 10:49, 1884.
Cho Journ. Chosen Nat. Hist. Soc. 15:81, 1933.
華北.
var. *septentrionalis* Kono, Ins. Mats. 5(4): 160, 1931.
tsunobosonis Kono, Ins. Mats. 5(4): 159, 1931.
politus Prell., Ent. Blatter 30:58, 1934.
台灣.

Subfamily Cetoniinae

Genus *Dicranocephalus* Burmeister

D. bourgoini Pouillaude
Pouillaude, Insects 4:293, 1914.
台灣.

Genus *Heterorrhina* Westwood

H. macleayi Kirby
Kirby, Trans. Linn. Soc. Lond. 12:408, t.21, f.11, 1818 (*Cetonia*).
Miwa, Syst. Cat. For. Col. p. 302, 1931.
台灣.
H. nigritarsis Hope
Hope, Gray's Zool. Misc. p. 24, 1831 (*Cetonia*).
Miwa, Syst. Cat. For. Col. p. 302, 1931.
台灣.

Genus *Trigonophorus* (Hope) Westwood

T. dilutus Bourgoin
Bourgoin, Bull. Soc. Ent. Fr. 1914:88, 1914.
台灣.
T. gracilipes Westwood
Westwood, Trans. ent. Soc. Lond. 4:88, t.5, f. 5, 1845.
Miwa Syst. Cat. For. Col. p. 303, 1931.
台灣.
T. varians Bourgoin
Bourgoin, Bull. Soc. Ent. Fr. 1914 437, 1914.
var. *murasaki* Kometani. Ent. World 8:223, 1940.
ab. *aka* Kometani, Ent. World 8:224, 1940.
台灣.
T. yunnanus Schurhoff
Schurhoff, Mitt. Dtsch. Ent. Ges. 6:24, 1935.
雲南.

Genus *Ingrisma* Fairmaire

I. insulana Moser
Moser, Stett. Ent. Zeit. 77:141, 1916.
台灣.
I. paralleliceps Bourgoin
Bourgoin, Bull. Soc. Ent. Fr. 1914:446, 1914.
台灣.

Genus *Cosmiomorpha* Saund.

C. horni Bourgoin
Bourgoin, Bull. Soc. Nat. Luxembourg (N.S.) 41:46, 1931.
台灣.
C. sauteri Bourgoin
Bourgoin, Bull. Soc. Nat. Luxembourg (N.S.) 41:45, 1931.
台灣.
C. similis Fairmaire
Fairmaire, Ann. Soc. Ent. Fr. 68:621, 1900.
台灣.

Genus *Rhomborrhina* Hope

Subgenus *Rhomborrhina* Hope

R. (*R.*) *insularis* Moser
Moser, Dtsch. Ent. Zeit. p. 293, 1910.
台灣.
R. (*R.*) *pilifera* Moser

Moser, Dtsch. Ent. Zeit. p. 573, 1914.
formosana Moser, Dtsch. Ent. Zeit. p. 562, 1912.
台灣.

R. (*R.*) *polita* Waterhouse
Waterhouse, Trans. ent. Soc. Lond. 1875:113, 1875.
Miwa. Syst. Cat. For. Col. p. 304, 1931.
台灣.

R. (*R.*) *splendida* Moser
Moser, Ann. Soc. Ent. Belg. 57:156, 1913.
ab. *ruri* Kometani, Ent. World 8:255, 1940.
台灣.

R. (*R.*) *unicolor formosana* Moser
Moser, Ann. Soc. Ent. Belg. 53:313, 1909
Miwa, Syst. Cat. For. Col. p. 304, 1931.
台灣.

Subgenus *Torynorrhina* Arrow

R. (*T.*) *apicalis* Westwood
Westwood, Arc. Ent. p. 118, t. 30, f. 2, 1842 (*Rhomborrhina*).
Miwa, Syst. Cat. For. Col. p. 304, 1931.
台灣.

R. (*T.*) *aurora* Bourgoin
Bourgoin, Bull. Soc. Ent. Fr. 1914:477, 1914.
台灣.

Genus *Clinteria* Burmeister

C. *aeneofusca* Bourgoin
Bourgoin, Bull. Soc. Ent. Fr. 1915:467, 1915.
台灣.

C. *klugi* Hope
Hope, Gray's Zool. Misc. p. 25, 1931 (*Cetonia*).
Kano, Ann. Zool. Jap. 13:132, 1931.
台灣.

C. *spuria* Burmeister
Burmeister, Handb. Ent. 5:555, 1874.
Miwa, Syst. Cat. For. Col. p. 305, 1931.
台灣.

Genus *Agestrata* Eschtz.

A. *orichalcea* Kano
Kano, Ann. Zool. Jap. 13:131, 1931.
台灣.

Genus *Macronota* Hoffmannsegg

M. *flavofasciata formosana* Moser
Moser, Dtsch. Ent. Zeit. p. 298, 1910 (*Carolina*).
Miwa, Syst. Cat. For. Col. p. 305, 1931.
台灣.

M. *formosana* Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:230, 1923.
台灣.

M. *fuscomaculata* Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:229, 1923.
台灣.

M. *hopponus* Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:232, 1923.
台灣.

M. *kagiensis* Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:231, 1923.
台灣.

M. *lata* Bourgoin
Bourgoin, Bull. Soc. Ent. Fr. 1915:158, 1915.
台灣.

M. *lurida polischana* Kriesche
Kriesche, Arch. Natg. A 8, 86:123, 1921.
台灣.

M. *monaldcoi* Kano
Kano, Ann. Zool. Jap. 13:132, 1931.
台灣.

M. *nigricolor* Kano
Kano, Ann. Zool. Jap. 13:133, 1931.
台灣.

M. *perrandieri* Kano
ab. *extensa* Kano, Ann. Zool. Jap. 13:134, 1931.
台灣.

M. *procera* Bourgoin
Bourgoin, Bull. Soc. Ent. Fr. 1915:160, 1915.
台灣.

M. *proxima* Bourgoin
Bourgoin, Bull. Soc. Ent. Fr. 1915:156, 1915.
台灣.

M. *viridula* Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For.

Hokkaido Imp. Univ. 2:232, 1923.
台灣.

Genus *Euselates* Thomson

E. galei Waterhouse
Waterhouse, Ann. Mag. nat. Hist. 5:312, 1900.
海南島.

Genus *Cetonia* Fabricius

Subgenus *Eucetonia* Schoch.

C. (E.) prasinata Bourgoin
Bourgoin, Bull. Soc. Ent. Fr. 1915:174, 1915.
Miwa, Syst. Cat. For. Col. p. 307, 1931.
台灣.

Genus *Liocola* Thomson

L. brevitarsis Lewis
var. seulensis Kolbe, Arch. Natg. p. 194, t. 2, f. 20, 1886 (*Cetonia*).
Kraatz, Dtsch. Ent. Zeit. p. 199, 1888.
Reitter, Best.-Tab. 38:47, 1898 (*Pachnotosia*).
Niijima & Kinoshita, Rep. First Scient. Exped. Manchoukuo 1(5):27, 1937.
新島木下，北大演習研究報告 2(2): 167,1922.
熱河.

L. formosana Moser
Moser, Ann. Soc. Ent. Belg. 54:256, 1910.
台灣.

Genus *Potosia* Mulsant

P. elegans Kometani
Kometani, Ent. World, Tokyo 6:443, 1938.
台灣.

P. familica Jans.
subsp. *amurensis* Heyd., Dtsch. Ent. Zeit. 30:235, 1886 (*Cetonia*).
黑龍江.

P. grisea Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:234, 1923.
台灣.

Subgenus *Calopotosia* Reitter

P. (C.) formosana Moser
Moser, Ann. Soc. Ent. Belg. 54:357, 1910.
台灣.

P. (C.) ishigakia Fairmaire
Fairmaire, Bull. Soc. Ent. Fr. 1898:14, 1898 (*Cetonia*).
Miwa, Syst. Cat. For. Col. p. 308, 1931.
台灣.

Genus *Pyropotosia* Reitter

P. pryeri Janson
Janson, Ann. Mag. nat. Hist. 1(6):195, 1888 (*Cetonia*).
Miwa, Syst. Cat. For. Col. p. 309, 1931.
台灣.

Genus *Protaetia* Burmeister

P. culta Waterhouse
Waterhouse, Ann. Mag. nat. Hist. 5(5):247, 1879.
Miwa, Syst. Cat. For. Col. p. 308, 1931.
台灣.

P. ferruginea Gory & Percheron
Gory & Percheron, Mon. Cet. p. 57, 169, t. 35, f. 3, 1833 (*Cetonia*).
Miwa. Syst. Cat. For. Col. p. 308, 1931.
台灣.

P. guerini Eydoux
Eydoux, Rev. Zool. p. 265, 1839 (*Cetonia*).
Miwa Syst. Cat. For. Col. p. 308, 1931.
台灣.

P. spinosa Moser
Moser, Ann. Soc. Ent. Belg. 55:122, 1911.
台灣.

P. taiwana Niijima & Kinoshita
Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:236, 1923.
台灣.

Genus *Poecilophilides* Kraatz

P. crucifera Olivier
Olivier, Ent. 1 (6): 39, t. 5, f. 29, 1789 (*Cetonia*).
Miwa, Syst. Cat. For. Col. p. 309, 1931.
台灣.

Genus *Glycyphana* Burmeister

G. amourensis Thomson
Thomson, Bull. Soc. Ent. Fr. 8 (5): 24, 1878.

黑龍江.

G. catena Arrow

Arrow, Fauna Brit. Ind. Lamellicornia 1: 120-122, f. 29, 1910.

Miwa, Syst. Cat. For. Col. p. 309, 1931.

台灣.

G. horsfieldi Hope

Hope, Gray's Zool. Misc. p. 25, 1831 (*Celonia*).

Chapin, Ling. Sci. J. 17(2):250, 1938.

海南島.

G. incongrua Janson

Janson, Cist. Ent. 2:388, 1878.

Miwa, Syst. Cat. For. Col. p. 309, 1931.

台灣.

G. tonkinensis Moser

Moser, Dtsch. Ent. Zeit. p. 594, 1914.

Miwa, Syst. Cat. For. Col. p. 309, 1931.

台灣.

Genus *Glycosia* Schoch.

G. nigra Kometani

Kometani, Ent. World 8:155, 1940.

台灣.

Genus *Oxycetonia* Arrow

O. amurensis Tesar

Tesar, Ent. Nachr Bl. 12:171, 1939.

黑龍江.

O. costigera Bourgoin

Bourgoin, Bull. Soc. Ent. Fr. 1915:168 1915.

台灣.

O. forticula Janson

Janson, Cist. Ent. 2:608, 1881.

Miwa, Syst. Cat. For. Col. p. 310, 1931.

台灣.

O. jucunda Falderm.

ab. *dolens* Kraatz, Dtsch. Ent. Zeit. 23:236, 1879 (*Glycyphana*). Niijima & Kinoshita, Rep. First Scient. Exped. Manchoukuo 1(5):27, 1937.

熱河.

ab. *speciosa* Tesar, Ent. Nachr Bl. 12:171, 1939.

福建.

O. versicolor Fabricius

Fabricius, Syst. Ent. p. 51, 1775 (*Cetonia*).

Miwa, Syst. Cat. For. Col. p. 310, 1931.

台灣.

Genus *Campsiura* Hose

C. omisiena Heller

Heller, Ent. Blatter 19:77, 1923.

中國.

Genus *Callynomes* Westwood

C. davidis Fairmaire

subsp. *nigra* Kano, Ann. Zool. Jap. 13:131, 1931.

台灣.

Genus *Coelodera* Hope

C. nigroscutellaris formosana Moser

Moser, Dtsch. Ent. Zeit. p. 297, 1910.

Miwa, Syst. Cat. For. Col. p. 305, 1931.

台灣.

C. penicillata Hope

Hope, Gray's Zool. Misc. p. 25, 1831.

Miwa, Syst. Cat. For Col. p. 305, 1931.

台灣.

Genus *Euchloropus* Arrow

E. laetus Fabricius

Fabricius, Syst. El. 2:150, 1801 (*Cetonia*).

Miwa, Syst. Cat. For. Col. p. 303, 1931.

台灣

Genus *Pseudagenius* Heller

P. testaceipennis Heller

Heller Ent. Blatter 19:79, 1923.

中國.

Genus *Atropinota* Heller

A. funhei Heller

Heller, Ent. Blatter 19:78, 1923.

中國.

Genus *Stenonota* Fairmaire

S. semirugata Fairmaire

Famirmaire, Ann. Soc. Ent. Fr. 9(6):30, 1889.

中國.

Subfamily Trichiinae

Genus *Gnorimus* Serv

G. formosanus Niijima & Kinoshita

Niijima & Kinoshita, Res. Bull. Col. exp. For. Hokkaido Imp. Univ. 2:236, 1923.
台灣.
G. tibialis Chujo
Chujo, Trans. nat. Hist. Soc. Formosa 28:444, 1938.
台灣.

Genus *Trichius* Fabricius

T. bifasciatus Moser
Moser, Berl. Ent. Zeitschr. 46:532, 1901.
Miwa, Syst. Cat. For. Col. p. 301, 1931.
台灣.
T. cupreipes Bourgoin
Bourgoin, Bull. Soc. Ent. Fr. 1915:175, 1915.
台灣.
T. diversicolor Bourgoin
Bourgoin, Bull. Soc. Ent. Fr. 1915:177, 1915.
台灣.
T. elegans Kano
Kano, Ann. Zool. Jap. 13:127, 1931.
台灣.
T. miwai Chujo
Chujo, Trans. nat. Hist. Soc. Formosa 31:37, 1941.
台灣.
T. taiheisanus Kano
Kano, Ann. Zool. Jap. 13:128, 1931.
台灣.
T. uraiensis Kano
Kano, Ann. Zool. Jap. 13:130, 1931.
台灣.

Genus *Paratrichius* Jans.

P. vittatus Sawada
Sawada, Nippon no Kochu 3:44, 1939.
台灣.

Subfamily Valginae

Genus *Valgus* Scriba

V. heydeni Semenow
Semenow, Hor. Ent. Ross. 25:331, 1891.
四川.

Genus *Dasyvalgus* Kolbe

D. kamiyai Sawada
Sawada, Nippon no Kochu 4:11, 1941.
台灣.
D. pubicollis Pic
Pic, Melanges Exot.Ent. Moulins 52:4, 1928.
西藏.
D. takasagoensis Sawada
Sawada, Nippon no Kochu 4:12, 1941,
台灣.

Genus *Hybovalgus* Kolbe

H. laticollis Arrow
Arrow, Trans. R. ent. Soc. Lond. 94:238, 1945,
華北.
H. thoracicus Moser
Moser, Ann. Soc. Ent. Belg. 55:128, 1911.
台灣.

Genus *Charitovalgus* Kolbe

C. banzai Sawada
Sawada, Nippon no Kochu 4:8, 1941.
台灣.
C. formosanus Sawada
Sawada, Nippon no Kochu 3:42, 1939.
台灣.

Genus *Chromovalgus* Kolbe

C. formosanus Moser
Moser, Dtsch. Ent. Zeit. p. 598, 1915.
Miwa, Syst. Cat. For. Col. p. 302, 1931.
台灣.
C. laetus Arrow
Arrow, Ann. Mag. nat. Hist. 19(5):408, 1887 (*Valgus*).
Miwa, Syst. Cat. For. Col. p. 302, 1931.
台灣.

下列 8 種，2 變型根據胡氏中國昆蟲目錄記載，分佈於蒙古，但根據其他文獻的記載，尚有分佈於國內下列諸地區，故加以補充.

Subfamily Melolonthinae

Genus *Maladera* Mulsant

M. orientalis Motsch.
Dalla Torre, Col. Cat. 45:18, 1912.
中國.

Genus *Holotrichia* Hope

H. ernesti Reitter
村山釀造，滿洲生物學會會報 4(2):74-86, 1941

金州東北.

H. picea Waterhouse
村山釀造, 滿洲生物學會會報 4(2):74-86, 1941.
金州, 得利寺, 龍潭山.

Genus *Trematodes* Falderm

T. tenebrioides Pallas
村山釀造, 滿洲生物學會會報 4(2):74-86, 1941.
大連, 金州, 萬家嶺, 熊岳城, 錦縣.

Genus *Amphimallon* Berthold

A. solstitialis Linn.
村山釀造, 滿洲生物學會會報 4(2):74-86, 1941.
東北.

Genus *Hoplia* Ill.

H. aureola Pallas
村山釀造, 長白山綜合調查報告 p. 162, 1941.
東北.

Subfamily Rutelinae

Genus *Anomala* Samouelle

Subgenus *Anomala* Sam.

A. (A.) mogolica Falderm.
Ohaus, Col. Cat. 46:75, 1915.
黑龍江.

Subfamily Cetoniinae

Genus *Liocola* Thomson

L. brevitarsis Lewis
ab. *cyaniventris* Kraatz
Schenkling, Col. Cat. 72:221, 1921.
黑龍江.

Genus *Glycyphana* Burmeister

G. variolosa Motsch.
Schenkling, Col. Cat. 72:279, 1921.
黑龍江.

Genus *Oxycetonia* Arrow

O. jucunda Falderm.
ab. *variolosa* Motsch.
Schenkling, Col. Cat. 72:282, 1921.
黑龍江.

List of Recorded Species of Chinese Scarabaeidae.

(A Supplement to Wu's Catalogus Insectorum Sinensium)

Ko-hsuin Hwang

(Department of Entomology, Peking Agricultural University)

The family Scarabaeidae is one of the largest and most important families of the order Coleoptera. The feeding habits of this family can usually be divided into two main groups, the coprophagus group and the phytophagus group. Most of them are considered to be injurious to various economic plants.

According to Wu's Catalogus Insectorum Sinensium (1936), there are 886 recorded Chinese species. Y. T. Mao (1940) added 40 species as the first supplement. Both of them did not include the Taiwan species. Therefore there are only 926 species. Based upon the available literatures, up to 1945, 336 species, 6 subspecies, 22 varieties and 12 aberrations should be added to the previous compilations. They are distributed among 13 subfamilies. The majority of them are Taiwan species. Besides, 8 species and 2 aberrations recorded from Mongolia in Wu's Catalogue are retained together with additional records from China.